

Read Me First - 1

- **Our reusable aerial delivery products meet the requirements in TM 4–48.03/TO 13C7–1–11.**
- **You can choose between CDS bundles in this file.**
- **Confirm your CDS layout size is 36 by 42”.**
- **Evaluate your load requirements; most CDS bundles have a training payload under 1000 lbs, which requires standard REAL (under 2600 lbs).**
- **If you need a higher load capacity, select high load capacity REAL under a different catalog with the word “High” in the filename.**
- **For standard load capacity, pick your CDS product ID from Table 1 in this document.**
- **If you need handles to move RUSB (Skid board that is about 80 lbs), choose package IDs ending in “H” denoting a set of 4 handles is included in the package.**
- **It is recommended you select CDS packages in the top 2 rows in Tables 1. These packages include the top and base RUSB boards that make the packages waterproof.**
- **Decide how many CDS you need given your weekly or monthly training drops.**
- **Request a quote.**

CONTACT QRDC TO LEARN MORE:

Main: (952) 556-5205 | info@qrdc.com
Direct: (612) 380-4433 | Dallaei@qrdc.com
www.qrdc.com

Advantages of Replacing Plywood Base & Top Boards with RUSB Base & Top Boards

Background:

- 1) Current base and top boards are plywood, which is vulnerable to humidity, rain, and other environmental factors.
- 2) Replacing them with RUSB-type boards makes the entire CDS bundle environmentally safe and prevents moisture collection when stored outdoors at the rigging shop or in a DZ.

Advantages:

- 1) The complete CDS bundle with RUSB skid, base, and top boards (Table 1) is resistant to rain, moisture, and humidity.
- 2) Rigged or airdropped bundles can remain outdoors or in DZ for extended periods without damaging the boards due to water, rain, or moisture.

We strongly recommend ordering packages in the top 2 rows in Table 1.

CONTACT QRDC TO LEARN MORE:

Main: (952) 556-5205 | info@qrdc.com
Direct: (612) 380-4433 | Dallaei@qrdc.com
www.qrdc.com

Product Packages

CDS Standard Load Capacity

Table 1 - CDS Packages

Layout	Package ID	Parts Included in the Package					
		Part ID					
		3" REAL Module	Top Board RUSB06	Base Board RUSB07	Belt42	Skid Board RUSB03 Black	Optional Handles
36 by 42	3642CDS-01S	12	1	1	1	1	1 set
	3642CDS-02S	12	1	1	1	1	0
	3642CDS-03S	12	0	0	1	1	1 set
	3642CDS-04S	12	0	0	1	1	0

S: Standard Load Capacity

Skid Board comes in Black, White, & Orange colors

Note:

CDS packages in the first 2 top rows include top and base boards that make the bundle waterproof.



CONTACT QRDC TO LEARN MORE:

Main: (952) 556-5205 | info@qrdc.com
 Direct: (612) 380-4433 | Dallaei@qrdc.com
www.qrdc.com


CDS3642S: 36 by 42 by 3"

9 REAL06M12 & 3 REAL23M126

Standard Load
Stiffness Capacity: 26,000 [lb/in]
Weight (no belt): 124 lbs



12x12x3" module
REAL06M12



6x12x3" module
REAL23M126

Read Me First - 2

Conditional Warranty for REAL & RUSB

- 1) QRDC provides a conditional warranty for a minimum of **35 airdrops**. If REAL or RUSB experience failure related to aerial delivery with fewer than 35 airdrops, QRDC will replace any damaged parts at no cost. Customer is responsible for shipping costs.
- 2) Customers shall pay **shipping costs** for warranty replacement parts.
- 3) Conditional Warranty is **void** if recommended assembly, loading, or DZ recovery procedures are not followed.
- 4) Conditional warranty may be **void** if a customer does not follow the specified (i.e., what not-to-do list) guidelines during assembly, loading, or recovery from DZ (Drop Zone).

CONTACT QRDC TO LEARN MORE:

Main: (952) 556-5205 | info@qrdc.com
Direct: (612) 380-4433 | Dallaei@qrdc.com
www.qrdc.com